Cro-nel® & Nyvel® Many Packaging Applications



Cro-nel®, roll bar



Cro-nel®, positioning metal parts



Cro-nel®, sealing metal parts

advertising literature aerospace parts appliances audio / visual equipment automotive equip /parts banking bark or root protection books / publishers catalog retailers CD's & DVD's ceramics chemicals china circuit boards clothing computers contractsfinished wood cosmetics e-commerce electrical parts extruded parts farm equipment floral cuttings / supplies frames furniture glass hardware health / beauty suppliers house wares industrial supplies injection molded parts instruments

jewelry law enforcement equipment legal documents lighting fixtures magazines mail order products marine supplies medical equipment medical supplies metals moving industry office supplies optical goods outdoor furniture painted parts pharmaceuticals plaques plumbing / heating supplies promotion recreational equipment samples service parts signs / advertising software spooled goods sporting goods stationer finish goods tools tree wrap windows / doors

wire goods

STOROpack North American Headquarters

Cincinnati
4758 Devitt Drive
Cincinnati, Ohio 45246
Phone +1 513 874 0314
Fax +1 513 874 2955
www.storopack.us
packaging.us@storopack.com



Cro-nel® & Nyvel® are registered trademarks of Automated Solutions, LLC





Cro-nel[®] & Nyvel[®] by STORO*pack*Advantages of using Cro-nel[®] & Nyvel[®]

Easy-to-use



Cro-nel®, position part

Common Applications



Cro-nel® and Nyvel®, fulfilment



Cro-nel®, seal package



Cro-nel® or Nyvel,® automotive



Cro-nel®, ready to ship



Cro-nel®, parts



Cro-nel® Dispenser Pack, packaging station

Product Performance

- Will not adhere or transfer to the product being packaged
- Superior cohesive coating ensuring the integrity of your product in both in-house and in-transit shipping
- Tough, tear and puncture resistant outer layer
- Air tight moisture resistant outer layer will protect your products from the outside elements
- Foam absorbs impact better than single-faced corrugate
- Products packaged using our cohesive laminates will arrive in safe and in perfect condition

Easy to Use

- Our cohesive seals instantly needing no heat or external means of sealing
- No need for additional fastners such as tape or staples
- Simplify packaging and reduce time and labor in your packaging operation

Reduces Damage in Transit

 Our cohesive wrap will lock your item in place forming an airtight seal, eliminating damage through rubbing and abrasion, offering superior cushioning for all shipping methods

Cost Savings

- Simplify the packaging steps needed to pack your items, saving time and labor as well as saving you money overall
- By conforming to your packaged products' shape, our cohesive laminates use only the material required for product coverage and thereby reduce packaging

Cro-nel® Dispenser Pack

- All the benefits of Cro-nel® cold seal right at your fingertips with an easy-to-use Dispenser Pack – saving time, labor and the handling of roll stock cold seal
- The Dispenser Pack acts as its own packaging station with 250' of easy-to-pull Cro-nel® cold seal in the box and a straight edge for tearing – allowing you to use just the right amount of Cro-nel® for each item to be packaged –saving material costs. No staples or tape required.
- By using the Dispenser Pack tearing edge, you do not need cutting blades or any other cutting method, reducing opportunity for injury

* Standard slit widths include 6", 8", 9", 12", & 15".

* Standard slit widths include 6", 8", 9", 12", & 15".



Specification Sheet and Product Range

Cro-nel®	Cushioned Cohesive Laminates Paper or Linerboard + Foam + Cohesive Coating			
Series	Outer Shell	Foam Thickness	Max Width	Standard Lengths
Cro-nel MD®	60# kraft paper	1/16"	72"*	1600'
Cro-nel® HD	42# Linerboard	1/16"	72"*	1400'
Cro-nel® Dispenser Pack	60# kraft paper	1/16"	12"*	250'

Cro-nel® Plus	Cushioned Cohesive Laminates Film + Foam + Cohesive Coating			
Series	Outer Shell	Foam Thickness	Max Width	Standard Lengths
Cro-nel® Plus Regular	.75 mil film	1/32"	72"*	600'
Cro-nel® Plus Super	2.3 mil film Cro-nel Plus standard perf	1/16" engths includ	72"* de 0", 6", 8	500' 3", & 12".

Nyvel®	Cohesive Laminates Paper or Linerboard +	Cohesive Laminates Paper or Linerboard + Cohesive Coating			
Series	Outer Shell	Foam Thickness	Max Width	Standard Lengths	
Nyvel® MD	60# Kraft Paper	n/a	72"*	600'	
Nyvel® HD	42# Linerboard	n/a	72"*	600'	
Nyvel® XHD	56# Linerboard	n/a	72"*	500'	

^{*} Standard slit widths include 6", 8", 9", 12", & 15".